TECHNICAL DOCUMENTATION & PRODUCT INFORMATION

| Beau | remente | ne Information | | | | | | |
|-------|--|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Requ | irements | PUHY-EM200YNW-A1(-BS) | PUHY-EM250YNW-A1(-BS) | PUHY-EM300YNW-A1(-BS) | PUHY-EM350YNW-A1(-BS) | PUHY-EM400YNW-A1(-BS) | PUHY-EM450YNW-A1(-BS) | PUHY-EM500YNW-A1(-BS) |
| (1) | Overall efficiency (%) | 43.2 | 43.2 | 43.2 | 52.9 | 58.6 | 58.6 | 52.9 |
| (2) | Measurement category | A | | | | | | |
| (3) | Efficiency category | STATIC | | | | | | |
| | Efficiency grade(N) | 50 | | | | | | |
| (5) | VSD | The VSD is integrated within the fan | | | | | | |
| (6) | Year of manufacture | 2019 | | | | | | |
| (7) | Manufacturer | MITSUBISHI ELECTRIC CORPORATION HEAD OFFICE: TOKYO BUILDING 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN AUTHORIZED REMRESENTATIVE IN EU: MITSUBISHI ELECTRIC EUROPE B.V.HARMAN HOUSE, 1GEORGE STREET, UXBRIDGE, MIDDLESEX UB8 1QQ, U.K. COMMERCIAL REGISTRATION NO.33279602 | | | | | | |
| (8) | Model number | PUHY-EM200YNW-A1(-BS) | PUHY-EM250YNW-A1(-BS) | PUHY-EM300YNW-A1(-BS) | PUHY-EM350YNW-A1(-BS) | PUHY-EM400YNW-A1(-BS) | PUHY-EM450YNW-A1(-BS) | PUHY-EM500YNW-A1(-BS) |
| (- / | Motor power input (kW) | | 0.55 | 0.55 | 0.70 | 0.56 | 0.56 | 0.70 |
| | Flow rate (m ³ /s) | 3.08 | 3.08 | 3.08 | 3.33 | 3.08 | 3.08 | 3.33 |
| | Pressure (Pa) | 76.7 | 76.7 | 76.7 | 110.9 | 106.1 | 106.1 | 110.9 |
| (10) | Rotations per minute | 723 | 723 | 723 | 820 | 788 | 788 | 820 |
| | Specific ratio | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| (12) | Information relevant for facilitating disassembly, recycling or disposal at end-of-life | | | | | | | |
| (13) | Information relevant to minimise impact on the environment and ensure optimal life expectancy as regards installation, use and maintenance of the fan | In addition to daily checks (eg cleaning of filters), periodic maintenance and checks by a skilled technician are required to ensure that the unit is maintained in a good condition for a long period of time, and that it may be used with confidence. | | | | | | |
| | Description of additional items used when determining the fan energy efficiency | - | | | | | | |